

pH

Blow down Done

Jan-14 Max.Limt  
3500 TDS

			pH		pH		pH		pH		pH		pH	
SR#	DATE	Boiler	Time : 10:00 AM	Time : 10:00 AM	Time : 14:00 PM	Time : 14:00 PM	Time : 18:00 PM	Time : 18:00 PM	Time : 22:00 PM	Time : 22:00 PM	Time : 02:00 AM	Time : 02:00 AM	Time : 06:00 AM	Time : 06:00 AM
1	01-Jan-14		OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2	02-Jan-14	NEW	2730	11.78	2980	11.68	3180	11.66	3400	11.34	3600	11.35	3600	11.2
3	03-Jan-14	NEW	2350	11.68	2520	11.614	2910	11.6	3100	11.58	3400	11.32	3100	11.8
4	04-Jan-14	NEW	3230	11.75	3090	11.72	2850	11.62	R.N.A	R.N.A	3500	11.38	3700	11.85
5	05-Jan-14		SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY
6	06-Jan-14	NEW	3010	11.74	3020	11.63	3080	11.42	3200	11.4	3000	11.3	3200	11.12
7	07-Jan-14	NEW	2740	11.73	3100	11.54	3130	11.55	3300	11.22	3600	11.7	3400	11.83
8	08-Jan-14	NEW	3040	11.82	2920	11.65	3120	11.54	3200	3200	3800	11.62	3300	11.71
9	09-Jan-14	NEW	2830	11.71	3030	11.69	3050	11.52	3200	11.62	3300	11.53	3600	11.57
10	10-Jan-14	NEW	2750	11.69	3160	11.64	2880	11.61	3000	11.58	3300	11.7	3500	11.3
11	11-Jan-14	NEW	2880	11.78	2550	11.55	2590	11.71	3400	11.83	3200	11.32	3500	11.3
12	12-Jan-14	NEW	2730	11.69	2650	11.67	2900	11.2	3100	11.07	3500	11.2	3500	11.53
13	13-Jan-14	NEW	3310	11.78	3070	11.57	3180	11.61	3400	11.49	3200	11.64	3600	11.7
14	14-Jan-14		OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
15	15-Jan-14	NEW	3000	11.7	3010	11.79	2950	11.81	3100	11.78	3200	11.55	3000	11.52
16	16-Jan-14	NEW	3240	11.88	2940	11.55	3320	11.41	3200	110.1	3100	11.15	3300	11.62
17	17-Jan-14	NEW	3180	11.68	2940	11.57	3230	11.51	3200	11.35	3100	11.68	3000	11.55
18	18-Jan-14	NEW	2790	11.8	3120	11.63	3100	11.62	3200	11.65	3100	11.7	3200	11.65
19	19-Jan-14	NEW	2980	11.73	2820	11.67	3000	11.55	3400	11.65	3600	11.62	3300	11.42
20	20-Jan-14	NEW	3130	11.83	3100	11.68	2660	11.54	2900	11.12	3200	11.22	3600	11.72
21	21-Jan-14	NEW	2730	11.76	2820	11.43	3000	11.48	3100	11.46	3200	11.5	3200	11.6
22	22-Jan-14	NEW	2890	11.71	3110	11.62	2900	11.6	3200	11.65	3100	11.45	3300	11.45
23	23-Jan-14	NEW	2940	11.66	2820	11.72	3030	11.6	3100	11.55	3200	11.65	2900	11.78
24	24-Jan-14	NEW	2890	11.77	2670	11.7	3020	11.59	3300	11.8	3200	11.9	3500	11.88
25	25-Jan-14	NEW	2750	11.81	3110	11.86	3140	11.44	3200	11.8	3400	12.12	3700	11.89
26	26-Jan-14		SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY	SUNDAY
27	27-Jan-14	NEW	3080	11.68	3180	11.34	2920	11.7	3100	11.9	3000	12.07	2600	12.08
28	28-Jan-14	NEW	3230	11.7	2850	11.47	2990	11.34	3100	11.84	3200	11.9	3100	12.6
29	29-Jan-14	NEW	3220	11.54	3050	11.5	3020	11.54	2900	11.81	3000	11.83	3600	11.93
30	30-Jan-14	NEW	3250	11.81	3180	11.47	2860	11.64	3000	11.87	3000	12.15	3500	12.18
31	31-Jan-14	NEW	3210	11.67	3150	11.51	2760	11.67	3000	11.78	3100	11.1	3500	12.4